

February 21, 2019

Bradley Bodenmiller
LUC Regional Planning Commission
Box 219
East Liberty, Ohio 43319

RE: Glacier Park Neighborhood Section 12 (GPN-12) Preliminary Plat


Mr. Bodenmiller,

Terrain Evolution, as the agent for Jerome Village Company, acknowledges the existence of Wetzel soils within the development area of GPN-12. The soil types are commonly found within areas with poor drainage and/or in drainage courses. In this case, the soils are mostly along low lying area within an open farm field and treeline. This area will be open space, roadway and lots. Where in developed areas, the development will install storm sewer drainage system to provide adequate drainage to the area developed.

Section 416 of the Union County Subdivision Regulations designates areas with the said soil types as requiring improvements to render the area acceptable for the intended use. The subdivider is aware and acknowledges this requirement. The intended use is for single family residential. Providing adequate drainage system to the area shall remedy any poorly drained areas, thus rendering the area acceptable for the use. A storm sewer system is being designed to convey all surface runoff to stormwater management basins. Any and all subsurface tiles encountered during the construction of the development shall be connected to said storm sewer as to promote an adequate drainage system.

Please feel free to contact me if you have any questions at (614) 385-1092.

Sincerely,



Justin Wollenberg, PE, CPESC
Project Manager